

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S19	0	S18 and (failure with alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 12:46
S31	4	("6104304" "5781024").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 12:47
S33	0	(predict\$3 with (failure fault error with circuit) and (electrical with circuit) and (measur\$6 with value with environmental )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 20:21
S34	0	(predict\$3 with (failure fault error with circuit) and (electrical with circuit) and ((measur\$6 with value) same environmental )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 20:23
S35	0	(predict\$3 with (failure fault error with circuit) and (electrical with circuit) and (measur\$6 with environmental with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 20:23
S32	0	(predict\$3 with (failure fault error with circuit) and (electrical with circuit) and (measur\$6 with value with environmental with condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:22
S37	23	((failure fault error) with circuit) and (electrical with circuit) and (measur\$6 with value with environmental)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:25
S39	9	S37 and (temperarture thermal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:08

S41	2	(alert\$3 with failure with electronic with circuit) and (measur\$6 with current with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:12
S42	0	(display\$3 with failure with electronic with circuit) and (measur\$6 with current with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:16
S40	2	(alert\$3 with failure with electronic with circuit) and (measur\$6 with current with outside with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:17
S38	0	S37 and (temperarture with environmental)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:19
S46	2	S43 and environmental	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:21
S47	6	S43 and (temperature with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:21
S43	24	(failure with electronic with circuit) and (measur\$6 with current with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:17
S48	0	(failure with electronic with circuit) and (temperarture with environment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:18

S45	0	S43 and (temperarture with environmental)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:19
S50	24	(failure with electronic with circuit) and (measur\$6 with current with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:19
S51	1	S50 and (temperature with environmental)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:19
S49	132	(failure with electronic with circuit) and (temperature with environment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:20
S52	10	S49 and (measur\$6 with temperature with environment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:26
S53	33	S49 and (measur\$6 with temperature) and environment\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:27
S36	0	(predict\$3 same ((failure fault error) with circuit)) and (electrical with circuit) and (measur\$6 with value with environmental with condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:37
S54	2	(predict\$3 with (failure fault error) with electrical with circuit) and (measur\$6 with current) and ((voltage power) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:39

S55	5	(predict\$3 with (failure fault error) with electronic with circuit) and (measur\$6 with current) and ((voltage power) with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:40
S44	3	S43 and (measur\$6 with current with outside with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:44
S56	3	S50 and (current with outside with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:44
S59	0	S57 and (measur\$6 with current with outside with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:51
S60	3	S57 and (current with outside with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:52
S62	3	S57 and (current with outside with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:58
S63	0	(measur\$6 with (temperature thermal heat) with environment\$3) and electronic and (measur\$6 with current with (power voltage) with supply) and (current with change with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:09
S64	30	(measur\$6 with (temperature thermal heat) with environment\$3) and electronic and (measur\$6 with current with (power voltage) with supply) and (current with change)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:17

S65	11	S64 and (current with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:17
S57	246	(measur\$6 with (temperature thermal heat) with environment\$3) and electronic and (measur\$6 with current) and (current with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:55
S67	0	(measur\$6 with (temperature thermal heat) with environment\$3) and electronic and (measur\$6 with current) and (current with range) and (alert\$3 same (current with (ouside above below) with range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:58
S68	5	(measur\$6 with environment\$3) and electronic and (measur\$6 with current) and (current with range) and ((alert\$3 alter\$3) same (current with (ouside above below) with range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:26
S69	1	(environment\$3 with condition) and electronic and (measur\$6 with current) and ((alert\$3 alter\$3) same (current with (ouside above below) with range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:37
S70	2	(failure with electronic) and (measur\$6 with current) and ((alert\$3 alter\$3) same (current with (ouside above below) with range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:38
S16	17	(circuit near2 failure) and (measur\$6 with current with draw\$3) and environment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:18
S72	1	10/249117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:19

S1	0	10/643253	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:01
S74	1317	(measur\$6 with current) and (current with (zone interval range)) and fail\$4 and (power with transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:03
S75	343	S74 and ((thermal temperature) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:04
S76	25	S75 and (predict\$3 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:04
S77	21	S76 and environment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:08
S78	21	S77 and electric\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:08